

JASPER MINING CORPORATION

1020, 833 - 4TH AVENUE S.W., CALGARY, ALBERTA, T2P 3T5

February 10, 2006
Trading Symbol: JSP (TSX-V)
News Release No. 06-109

TELEPHONE: (403) 297-9480
FAX: (403) 266-1487

PRESS RELEASE

JASPER MINING CORPORATION ANNOUNCES ACQUISITION OF STORM KING PROPERTY

Jasper Mining Corporation (the "Company") has acquired additional mineral tenures surrounding the Company's initial Copper Storm property. The resulting claims comprise the Storm King property, consisting of 5 separate mineral tenures totalling approximately 1,300 ha (3,213 acres). The Company has a 100% working interest in the property.

The property is located west of Cranbrook and east of Kootenay Lake at the northeasternmost exposure of the Cretaceous Mt. Skelly Pluton, correlated to the Bayonne Magmatic Suite (BMS). Since 1999, a number of studies have been completed by the BC Geological Survey Branch pertaining to the BMS, which is interpreted to have potential for intrusion-related gold deposits analogous to the Tintina Gold Belt in the Yukon and Alaska. Several of these studies emphasized the potential of the Mt. Skelly Pluton.

The initial Copper Storm property was acquired last year to cover the Copper King (082FNE065) and Storm King (082FSE008) MINFILE occurrences. Review of the MINFILE descriptions and limited information from the available Assessment Reports describe a swarm of quartz veins up to 50 feet thick associated with the northern contact of the Mt. Skelly Pluton.

A number of shafts and adits have been described, the result of previous historical work on Crown Grants in the area. Mineralization has been documented in association with these previous workings. "A shaft was sunk on mineralized quartz; the dump contains a small pile of sorted ore heavily mineralized with pyrite, tetrahedrite, galena, and a little chalcopyrite and arsenopyrite. A selected sample rich in galena and tetrahedrite analysed 0.31 per cent tin; recent samples of such material yielded assays of up to 4.5 grams per tonne gold and 310 grams per tonne silver, but barren quartz veins, host dolomites and granodiorite contain no precious metals" (MINFILE 082FSE008). One of the Assessment Reports documents several grab samples which reportedly returned up to 1.9% copper. In addition, molybdenite, scheelite, stibnite and galena have been described from the property, interpreted to occur in concentric zones hosted by hornfelsed sediments in the metamorphic aureole of the intrusion.

This press release has been prepared by Jasper Management and Richard T. Walker, B.Sc., M.Sc., P. Geo., the "Qualified Person" under National Instrument 43-101.

- 30 -

The TSX Venture Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.

For further information contact: Gordon F. Dixon, Q.C., President, Jasper Mining Corporation, Telephone (403) 297-9480 Fax (403) 266-1487 email: xon@telus.net