

**JASPER MINING CORPORATION**  
**1020, 833 - 4TH AVENUE S.W., CALGARY, ALBERTA, T2P 3T5**

January 19, 2006  
Trading Symbol: JSP (TSX-V)  
News Release No. 06-108

**TELEPHONE: (403) 297-9480**  
**FAX: (403) 266-1487**

**PRESS RELEASE**

**JASPER MINING CORPORATION ANNOUNCES RESULTS  
FROM DIAMOND DRILL PROGRAM ON ISINTOK PROPERTY**

Jasper Mining Corporation (the “Company”) is pleased to announce initial results from a diamond drill program on it’s 100% owned Isintok property. The property consists of 1,678 ha (4,146 acres), located approximately 25 km west-southwest of Summerland and 20 km north of Hedley.

The objective of the Company’s program is to locate, and define, a low grade copper-molybdenum ± gold porphyry-style deposit similar to the Brenda Mine, located approximately 40 km north of the Isintok property, west of Peachland. “The Brenda mine began production in early 1970 with measured geological (proven) reserves of 160,556,700 tonnes grading 0.183 per cent copper and 0.049 per cent molybdenum at a cutoff of 0.3 per cent copper equivalent [eCu = % Cu + (3.45 x % Mo)]” (BC MINFILE 092HNE047) (**Note: reported prior to implementation of, and therefore not compliant with, National Instrument 43-101**).

A total of four diamond drill holes, totalling 700 m, were completed from three separate drill pads. Due to winter conditions prevalent on the property during drilling, and associated issues pertaining to the availability of water for drilling, the location of the drill holes was modified on the basis of the Fugro geophysical results, road access and available water. The first hole was intended to test a prominent linear resistivity low (conductivity high). The second hole was located at the northern edge of a large resistivity high, while the third and fourth hole were located in the core of the resistivity high, immediately east of several mineralized holes documented by previous drill programs. Drill hole location data are as follows:

Drill Hole	Easting	Northing	Azimuth	Inclination	Length (m)
ISIN 05-01	716128	5490382	Vertical	-90°	124.96
ISIN 05-02	716682	5490030	Vertical	-90°	140.20
ISIN 05-03	716885	5489355	Vertical	-90°	246.57
ISIN 05-04	716885	5489355	045°	-45°	188.35

Pertinent results have been compiled in the accompanying table. Analytical data has been included for all samples having greater than 100 ppm copper, except where included as part of a mineralized interval. Length weighted averages have been determined for several intervals and confirm relatively thick zones of low grade copper  $\pm$  molybdenum mineralization. Management notes that hole ISIN 05-01 was located approximately 680 m east-northeast of the nearest previously drilled hole and it on the northwest fringe of the resistivity anomaly as represented on the final geophysical maps received from Fugro Airborne Surveys (“Fugro”). Pad #3 (hole 3 and 4) were located approximately 200 m east of the previous holes drilled in 1997. Upon completing hole #4, hole #3 was re-entered at 142.64 m and deepened to 246.57.

	<b>From</b>	<b>To</b>	<b>Width</b>	<b>From</b>	<b>To</b>	<b>Width</b>	<b>Mo</b>	<b>Cu</b>	<b>Ag</b>	<b>W</b>	<b>Sample</b>
<b>SAMPLES</b>	<b>(m)</b>	<b>(m)</b>	<b>(m)</b>	<b>(ft)</b>	<b>(ft)</b>	<b>(ft)</b>	<b>ppm</b>	<b>ppm</b>	<b>ppm</b>	<b>ppm</b>	<b>kg</b>
ISIN-05-01-01	21.33	21.81	0.48	69.98	71.56	1.57	23.1	541.6	0.6	6	0.82
ISIN-05-01-02	21.81	22.93	1.12	71.56	75.23	3.67	1	149.3	0.3	4.3	1.91
ISIN-05-01-09	39.62	42.67	3.05	129.99	140.00	10.01	10.1	1300.3	0.7	6.1	6.13
ISIN-05-01-11	45.72	48.76	3.04	150.01	159.98	9.97	5.8	187.5	0.1	1.4	5.96
ISIN-05-01-13	51.81	54.86	3.05	169.99	180.00	10.01	0.9	436.5	0.4	5.6	5.97
ISIN-05-01-14	54.86	57.91	3.05	180.00	190.00	10.01	8.2	122.3	0.1	0.8	5.49
ISIN-05-01-17	64	67.05	3.05	209.98	219.99	10.01	1.7	230.1	0.1	1	6.18
ISIN-05-01-18	67.05	70.1	3.05	219.99	230.00	10.01	3.1	272.7	0.2	1.3	5.86
ISIN-05-01-19	70.1	73.15	3.05	230.00	240.01	10.01	3.2	124.4	0.1	1.3	5.53
ISIN-05-01-20	73.15	76.2	3.05	240.01	250.01	10.01	72.8	724	0.4	1.2	5.98
ISIN-05-01-21	76.2	79.24	3.04	250.01	259.99	9.97	25.2	305.9	0.2	1.2	5.87
ISIN-05-01-22	79.24	82.28	3.04	259.99	269.96	9.97	179.8	427.7	0.3	2.2	6.89
ISIN-05-01-23	82.28	85.34	3.06	269.96	280.00	10.04	256.8	181.2	0.1	2.4	5.87
ISIN-05-01-24	85.34	88.39	3.05	280.00	290.01	10.01	12.7	242.3	0.2	2.9	7.13
ISIN-05-01-25	88.39	91.44	3.05	290.01	300.01	10.01	91.5	143.6	0.1	2.3	5.91
ISIN-05-01-26	91.44	94.48	3.04	300.01	309.99	9.97	11.8	161.8	0.2	1.5	5.22
ISIN-05-01-27	94.48	97.53	3.05	309.99	320.00	10.01	47.8	364.3	0.4	1.4	5.86
ISIN-05-01-28	97.53	100.58	3.05	320.00	330.00	10.01	20.3	807.5	0.6	2.6	6.38
ISIN-05-01-30	100.58	103.63	3.05	330.00	340.01	10.01	11.7	65.9	0.1	3.1	7.39
ISIN-05-01-31	103.63	106.67	3.04	340.01	349.98	9.97	7.1	151.8	0.2	2.1	7.48
ISIN-05-01-31B	106.67	109.72	3.05	349.98	359.99	10.01	157.6	279.5	0.2	2.2	5.22
ISIN-05-01-32	109.72	112.77	3.05	359.99	370.00	10.01	25.8	867.6	0.5	3.5	3.05
ISIN-05-01-33	112.77	115.82	3.05	370.00	380.01	10.01	167.8	1016.4	0.7	3.9	5.77
ISIN-05-01-34A	115.82	117.98	2.16	380.01	387.09	7.09	4.7	1264.8	0.5	1.4	1.73
ISIN-05-01-34B	117.98	118.87	0.89	387.09	390.01	2.92	32.6	441.4	0.4	1.8	8.06
ISIN-05-01-35	118.87	121.91	3.04	390.01	399.99	9.97	3.3	22.1	0.1	2	5.96
ISIN-05-01-36	121.9	124.96	3.06	399.95	409.99	10.04	3.5	102.5	0.1	3	6.09
<b>Interval #1:</b>			<b>54.87 m</b>			<b>180.03 feet</b>					
<b>17 to 34A</b>				<b>Cu</b>	<b>0.042</b>	<b>%</b>					
				<b>Mo</b>	<b>0.006</b>	<b>%</b>					

**Note: Box 17 was cut out of sequence with the result that samples 28, 30 33 and 34 are composite samples.**

	<b>From</b>	<b>To</b>	<b>Width</b>	<b>From</b>	<b>To</b>	<b>Width</b>	<b>Mo</b>	<b>Cu</b>	<b>Ag</b>	<b>W</b>	<b>Sample</b>
<b>SAMPLES</b>	<b>(m)</b>	<b>(m)</b>	<b>(m)</b>	<b>(ft)</b>	<b>(ft)</b>	<b>(ft)</b>	<b>ppm</b>	<b>ppm</b>	<b>ppm</b>	<b>ppm</b>	<b>kg</b>
ISIN-05-03-078	9.14	12.19	3.05	29.99	40.00	10.01	1	153.3	0.3	5.2	6.19
ISIN-05-03-080	15.24	18.29	3.05	50.00	60.01	10.01	1.6	114.8	0.2	3.6	7.15
ISIN-05-03-082	21.33	24.38	3.05	69.98	79.99	10.01	0.6	152.9	0.4	3.3	6.18
ISIN-05-03-083	24.38	27.43	3.05	79.99	90.00	10.01	3.9	491.1	0.6	2.2	6.27
ISIN-05-03-086	33.53	36.57	3.04	110.01	119.99	9.97	1	485.7	0.7	3.3	5.89
ISIN-05-03-087	36.57	39.62	3.05	119.99	129.99	10.01	36.6	106.7	0.1	>200	6.25
ISIN-05-03-097	67.05	70.1	3.05	219.99	230.00	10.01	5.9	161.5	0.2	8.1	6.1
ISIN-05-03-098	70.1	73.15	3.05	230.00	240.01	10.01	7.2	108.5	0.5	15.8	4.52
ISIN-05-03-099	73.15	76.2	3.05	240.01	250.01	10.01	85.6	158.9	0.2	6.5	5.91
ISIN-05-03-100	76.2	79.24	3.04	250.01	259.99	9.97	3.9	114.8	0.2	5.6	5.66
ISIN-05-03-101	79.24	82.29	3.05	259.99	269.99	10.01	6	173.3	1	7.4	5.45
ISIN-05-03-102	82.29	85.34	3.05	269.99	280.00	10.01	159.8	1661.2	1.4	63.9	5.63
ISIN-05-03-103	85.34	88.39	3.05	280.00	290.01	10.01	33.7	1333.3	0.7	18	6.56
ISIN-05-03-104	88.39	91.44	3.05	290.01	300.01	10.01	5.9	436.4	0.5	74.6	4.98
ISIN-05-03-105	91.44	94.48	3.04	300.01	309.99	9.97	513.8	277.4	0.3	24	5.03
ISIN-05-03-106	94.48	97.53	3.05	309.99	320.00	10.01	2.8	117.3	0.1	6	5.34
ISIN-05-03-107	97.53	100.58	3.05	320.00	330.00	10.01	5.7	56.7	0.1	3.1	5.65
ISIN-05-03-108	100.58	103.63	3.05	330.00	340.01	10.01	109.9	530	0.8	71.6	5.13
ISIN-05-03-109	103.63	106.67	3.04	340.01	349.98	9.97	31.3	514.9	0.6	5.2	5.89
ISIN-05-03-110	106.67	109.72	3.05	349.98	359.99	10.01	382.3	2238.6	1.6	19	4.9
ISIN-05-03-111	109.72	112.77	3.05	359.99	370.00	10.01	50.2	618.5	0.3	>200	6.43
ISIN-05-03-112	112.77	115.82	3.05	370.00	380.01	10.01	87.7	455.1	0.2	>200	6.75
ISIN-05-03-113	115.82	118.87	3.05	380.01	390.01	10.01	86.1	236.3	0.1	27.9	6.28
ISIN-05-03-114	118.87	121.91	3.04	390.01	399.99	9.97	4.6	491.9	0.2	9.6	6.48
ISIN-05-03-115	121.91	124.96	3.05	399.99	409.99	10.01	58.2	2215.1	0.9	>200	5.56
ISIN-05-03-116	124.96	126.53	1.57	409.99	415.14	5.15	92	580.3	0.4	>200	6.2
ISIN-05-03-117	126.53	131.06	4.53	415.14	430.01	14.86	60.5	899.5	0.3	17.3	5.23
ISIN-05-03-118	131.06	134.11	3.05	430.01	440.01	10.01	85.4	1272.7	0.8	8.5	4.87
ISIN-05-03-119	134.11	137.15	3.04	440.01	449.99	9.97	34.8	558.6	0.7	3.9	5.81
<b>Interval #1:</b>			<b>54.86 m</b>			<b>180.00 feet</b>					
<b>102 to 119</b>							<b>Cu 0.081 %</b>				
							<b>Mo 0.010 %</b>				
<b>Interval #1:</b>			<b>27.44 m</b>			<b>90.03 feet</b>					
<b>110 - 118</b>							<b>Cu 0.102 %</b>				
							<b>Mo 0.010 %</b>				

	From	To	Width	From	To	Width	Mo	Cu	Ag	W	Sample
SAMPLES	(m)	(m)	(m)	(ft)	(ft)	(ft)	ppm	ppm	ppm	ppm	kg
ISIN-05-04-124	11.58	14.63	3.05	37.99	48.00	10.01	10.5	423.3	0.6	5.1	5.75
ISIN-05-04-125	14.63	17.68	3.05	48.00	58.01	10.01	0.8	125.4	0.3	4.6	5.91
ISIN-05-04-126	17.68	20.72	3.04	58.01	67.98	9.97	1.2	303.5	0.9	8.7	5.67
ISIN-05-04-127	20.72	23.77	3.05	67.98	77.99	10.01	28.4	239.9	0.7	22.2	5.45
ISIN-05-04-128	23.77	26.82	3.05	77.99	88.00	10.01	14.9	102.6	0.4	14.2	5.69
ISIN-05-04-129	26.82	29.87	3.05	88.00	98.00	10.01	8.3	252.2	0.5	25.3	5.74
ISIN-05-04-130	29.87	32.92	3.05	98.00	108.01	10.01	10.3	384.9	0.5	8.6	5.53
ISIN-05-04-131	32.92	35.96	3.04	108.01	117.98	9.97	10.2	597.4	0.9	11.8	5.4
ISIN-05-04-132	35.96	39.01	3.05	117.98	127.99	10.01	36.9	779.5	1.3	17.8	5.78
ISIN-05-04-133	39.01	42.06	3.05	127.99	138.00	10.01	21.1	1104.4	1.1	24.6	6.13
ISIN-05-04-134	42.06	45.11	3.05	138.00	148.01	10.01	34.7	887.8	1.1	3.8	5.84
ISIN-05-04-135	45.11	48.16	3.05	148.01	158.01	10.01	5.4	496.4	0.4	11.1	6.16
ISIN-05-04-136	48.16	51.2	3.04	158.01	167.99	9.97	4	259.6	0.3	16.7	5.61
ISIN-05-04-137	51.2	54.25	3.05	167.99	177.99	10.01	3.6	236.8	0.1	32.1	5.49
ISIN-05-04-138	54.25	57.3	3.05	177.99	188.00	10.01	1.6	138.7	0.1	7.4	5.65
ISIN-05-04-139	57.3	60.34	3.04	188.00	197.98	9.97	2.5	160.3	0.1	1.4	5.73
ISIN-05-04-140	60.34	63.39	3.05	197.98	207.98	10.01	7.2	134.7	0.1	1.8	5.88

**Interval #1:** **51.81 m** **169.99 feet**  
**124 to 140** **Cu 0.039 %**  
**Mo 0.001 %**

ISIN-05-04-147	81.68	84.72	3.04	267.99	277.97	9.97	9.6	321.6	0.2	2.1	6.02
ISIN-05-04-148	84.72	87.77	3.05	277.97	287.97	10.01	6.1	193.4	0.2	23.1	6.14
ISIN-05-04-151	93.87	96.92	3.05	307.99	317.99	10.01	6.8	189.6	0.2	1.7	6.67
ISIN-05-04-154	103.01	106.06	3.05	337.98	347.98	10.01	2.8	166	0.3	11.7	6.15
ISIN-05-04-155	106.06	109.11	3.05	347.98	357.99	10.01	12.3	399.8	0.7	19	6.48
ISIN-05-04-156	109.11	112.16	3.05	357.99	368.00	10.01	3.5	421.6	0.6	30.8	6.83
ISIN-05-04-159	118.25	121.3	3.05	387.98	397.99	10.01	24.1	112.6	0.2	12	6.54
ISIN-05-04-160	121.3	124.35	3.05	397.99	407.99	10.01	16.4	117.3	0.2	8.3	6.98
ISIN-05-04-165A	136.54	139.59	3.05	447.99	457.99	10.01	131.5	243.1	0.2	0.8	7.01
ISIN-05-04-165B	139.59	142.64	3.05	457.99	468.00	10.01	142.7	1284.8	1.4	2.3	6.87
ISIN-05-04-167	142.64	145.68	3.04	468.00	477.98	9.97	655.3	2089.2	2.2	14.7	6.07

**Interval #1:** **9.14 m** **29.99 feet**  
**165 to 167** **Cu 0.121 %**  
**Mo 0.031 %**

All drill core recovered was sampled in 3.05 m (10 foot) increments. To date, approximately 216 samples have been submitted to Acme Analytical Laboratories Ltd. for Group 1EX ICP analysis.

The results from the limited 2005 drill program, while admittedly low grade, are considered significant and worthy of continued evaluation on the basis of the following:

1. Previous work has documented anomalous copper and molybdenum mineralization, both at surface and in previously completed drill holes (both percussion and diamond drill holes),
2. The Fugro airborne geophysical survey (see Press Release dated Nov. 16, 2005) returned many anomalies on the Resistivity, Magnetic and Radiometric series of maps, many of which are broadly coincident,
3. The 2005 drill program confirmed anomalous copper  $\pm$  molybdenum mineralization from locations up to 680 metres away from previously drilled holes and at greater depth than previously documented.

An initial evaluation of the results of the 2005 drill program with respect to both the previously documented surface and drill results and the Fugro survey data is interpreted to represent a possible mineralized annulus. Under this working hypothesis a mineralized phase of the Early Jurassic Bromley Batholith was emplaced into surrounding host rocks (comprised of earlier phases of the batholith. Subsequent erosion has removed the mineralized cap, leaving a mineralized ring (or annulus) as defined by both a resistivity high (conductivity low) and a magnetic high. Holes previously drilled on the property appear to document better, although still low, grades toward to margins of the coincident anomaly, thus leading to the interpretation of a mineralized annulus. Should this interpretation subsequently be determined to be correct, there are five additional, smaller anomalies having similar geophysical expressions.

Furthermore, the thick, although very low grade, mineralized interval identified in hole #1, located 680 m east-northeast of the nearest previously drilled hole, suggests the resistivity anomaly may host mineralization. As it is a broad, linear feature, it is not interpreted to be a porphyry-style target but rather a possible mineralized structure (i.e. fault) which may host mineralization arising from development of an interpreted adjacent porphyry. Alternatively, the mineralization may have been derived from a separate event or represent re-mobilized mineralization, perhaps from an adjacent porphyry. Further work will be completed to further evaluate the extent and nature of the mineralization

Management is encouraged by the results of the program, particularly with respect to the fact that mineralization was identified at a greater distance (680 m) and at deeper levels (188 m vertically) than previously documented. Furthermore, continued work to compile previous data (surface geochemistry and sub-surface drill results) so as to allow evaluation and interpretation with respect to the Fugro data is expected to result in better delineation of potential drill targets. Further geological evaluation of the property, including additional diamond drilling, is proposed for the late spring.

This press release has been prepared by Richard T. Walker, B.Sc., M .Sc., P. Geo., the “Qualified Person” under National Instrument 43-101.

- 30 -

*The TSX Venture Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.*

For further information contact: Gordon F. Dixon, Q.C., President, Jasper Mining Corporation,  
Telephone (403) 297-9480 Fax (403) 266-1487 email: [xon@telus.net](mailto:xon@telus.net)